## For segmented region





Each member of IMT works independently.

Select the segment which is the most likely to contain the missing person, and assign it value of 100.

Then assign a value between 1 and 100 to all the other segments, depending on how likely the missing person is in that segment, compared

to the most likely segment of 100.

Transfer their scores to the table below.

Participants	Seg																				
Name	A1	A2	А3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17	A18	A19	A20	
																					Sum of
																					Column Totals
Column Totals	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
_																					
Consensus POA	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	%

Enter Original % POA for region A

100%

Then POA for each segment

Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg	Seg
A1	A2	А3	A4	<b>A5</b>	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17	A18	A19	A20
######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######	######

Password = landsar